Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29861	(((photo ADJ3 detect\$5) OR photo-detect\$5) ADJ3 diode) AND photodetector OR photo-detector OR (photo ADJ3 detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:49
L2	1364	scanner AND display AND 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:51
L3	125290	(((photo ADJ3 detect\$5) OR photo-detect\$5) ADJ3 diode) OR photodetector OR photo-detector OR (photo ADJ3 detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:49
L4	13427	3 SAME (emit\$5 ADJ3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:50
L5	632	scanner AND display AND 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:50
L6	828	(scan\$5 SAME display) AND 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:48
L7	110920	(scanner OR (scan\$5 ADJ3 (device OR apparatus))).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:05
L8	4725	diode WITH (emit\$5 ADJ3 light) WITH ((detect\$5 OR sens\$5 OR receiv\$5) ADJ3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:07
L9	103	7 AND 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:09

	,				r 	
L10	2	"5319182".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:24
L11	2	"4966258".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:24
L12	2	"4866258".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:24
L13	555	((scan\$5 SAME display) WITH (matrix OR array)) AND (light WITH (detect\$5 OR sens\$5 OR receiv\$5)) WITH pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:50
L14	555	((scan\$5 SAME display) WITH (matrix OR array)) AND ((light WITH (detect\$5 OR sens\$5 OR receiv\$5)) WITH pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:51
L15	170	((scan\$5 SAME display) WITH (matrix OR array)) AND (((light WITH (detect\$5 OR sens\$5 OR receiv\$5)) WITH pixel) WITH (light NEAR3 emit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 14:08
L16	2	"20050104507".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 14:07
L17	89	((scan\$5 SAME display) WITH (matrix OR array)) AND (((light WITH (detect\$5 OR sens\$5 OR receiv\$5)) WITH pixel) WITH (light NEAR3 emit\$5)) AND resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 14:14
L18	700	((7 OR display) WITH (matrix OR array)) AND (((light WITH (detect\$5 OR sens\$5 OR receiv\$5)) WITH pixel) WITH (light NEAR3 emit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 14:15
L19	0	spatial ADJ3 resolutioni	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 14:15
						S.M.

L20	21885	spatial ADJ3 resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 14:15
L21	41	18 AND 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 15:44
L22	2	"6596979".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 15:47
L23 ⁻	219	(scan\$5 ADJ3 (device OR apparatus)).AB. AND resolution AND ((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 (plural\$5 ADJ3 (sensor OR detector OR (sensing ADJ3 (mean OR device)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 15:51
L24	101	(pixel OR sub-pixel OR subpixel) AND 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 15:51
S1	211	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND ((pixel OR subpixel OR sub-pixel) WITH ((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:32
S2	2	"5929845".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:49
S3	503	((light ADJ3 emit\$5) NEAR5 ((electrolumine\$7 OR electro-lumine\$7) ADJ3 layer)) NEAR5 organic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:53
S4	134	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:52

S5	62	S3 AND ((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:00
S6	2	"5504323".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:34
S7	2	"20050104507".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:44
S8	80	electrode WITH "0" WITH ((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:45
S9	0	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:35
S10	13	"2315594"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:53
S11	2	"5247190".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:00
S12	2591	((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light) NEAR5 "0"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:01
S13	17	((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light) NEAR5 "0V"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:02
S14	2	"5142343".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:03

S15	2	"5247190".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/03/29 11:04
S16	4602	(work ADJ2 function) NEAR5 electrode	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:05
S17	236	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:05
S18	527	((work ADJ2 function) NEAR5 electrode) NEAR5 "ev"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:09
S19	28	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:05
S20	35	(((work ADJ2 function) NEAR5 electrode) NEAR5 "ev") WITH difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:10
S21	2	"4895734".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:12
S22	2	"4895734".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:13
S23	2	"5504323".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:13
S24	2	"5552678".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:15
	·					s.H.

S25	2 '	"4885211".PN.				
		4005211 .PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:58
S26 5		(dual ADJ3 (mode OR function)) ADJ3 diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:46
S27	4 9	scanner AND S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:08
S28	į	scanner AND (((appl\$5 OR provid\$5) ADJ3 (voltage NEAR5 '0V")) WITH ((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/29 13:31
S29 162	(scanner AND (((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light) WITH (short OR ground OR "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:34
530 143	5	scan\$5.AB. AND (((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light) WITH (short OR ground OR "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:38
531 20	6	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND "426"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	.OR	ON	2006/03/29 13:36
S32	6	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:39
S33 125	9	scan\$5.AB. AND (((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light) WITH (short OR "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:39
S34	e	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/29 13:39 S.M.

	•					
S35	1671	scan\$5.AB. AND (((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light) WITH (short\$5 OR "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:40
S36	31	scan\$5.AB. AND ((pixel AND (electrode OR wire OR line)) SAME (((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light) WITH (short\$5 OR "0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:42
S37	57	((dual ADJ3 (mode OR function)) OR ("dual-mode") OR ("dual-function")) ADJ3 diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:20
S38	709	257/80.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/29 14:20
S39	1	S26 AND S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:20
S40	238	S38 AND ((detect\$5 OR sens\$5 OR receiv\$5) ADJ3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:35
S41	1828	((photodetect\$5 OR (photo ADJ3 detect) OR "photo-detect") ADJ3 diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:24
S42	. 12	S41 SAME (emit\$5 NEAR3 light) WITH voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:25
S43	12	S41 SAME ((emit\$5 NEAR3 light) WITH voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:32
S44	280	scanner AND ((photodetect\$5 OR photo-detect\$5 OR (photo ADJ2 detect\$5)) ADJ3 diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:33 S. H.

S45	188	S44 AND ((detect\$5 OR sens\$5 OR receiv\$5) ADJ3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:35
S46	144	S45 AND (emit\$5 NEAR3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:40
S47	327	(257/80.CCLS. OR 257/94.CCLS. OR 257/95.CCLS.) AND ((detect\$5 OR sens\$5 OR receiv\$5) ADJ3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:45
S48	37	S47 AND ((emit\$5 ADJ3 light) WITH voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:46
S49	31396	(257/80.CCLS. OR 257/94.CCLS. OR 257/95.CCLS. OR "250"/\$.CCLS. OR 257/103.CCLS.) AND ((detect\$5 OR sens\$5 OR receiv\$5) ADJ3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:45
S50	763	S49 AND ((emit\$5 ADJ3 light) WITH voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 14:46
S51	43	scanner AND S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:29
S52 ·	36	(photodetect\$5 ADJ3 diode).AB. AND (diode WITH (emit\$5 ADJ3 light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:29
S53	1	((pulse NEAR3 duration) NEAR5 (driving ADJ3 signal)) WITH ("20" ADJ1 "ms")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:31
S54	10	((pulse NEAR3 duration) NEAR5 (driving ADJ3 signal)) WITH "ms"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:31
						S.M.

S55	30	((pulse NEAR3 (duration OR width)) NEAR5 (driving ADJ3 signal)) WITH "ms"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:32
S56	215	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND display.AB. AND ((pixel OR subpixel OR sub-pixel) WITH ((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:39
S57	22	S56 AND (signal WITH "ms")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:33
S58	37	S56 AND ((pulse OR signal) NEAR4 (width OR duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:34
S59	217	((electrolumine\$7 OR electro-lumine\$7) ADJ3 display) AND (display OR scanner).AB. AND ((pixel OR subpixel OR sub-pixel) WITH ((detect\$5 OR sens\$5 OR receiv\$5) NEAR5 light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:39
S60	1040	((detect\$5 OR sens\$5 OR receiv\$5) ADJ3 light) WITH (plural\$5 NEAR5 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:40
S61	10	S59 AND S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:40
S62	2	"20050035928".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:58